

## Mental health symptoms - index child

### Concept

Mental health symptoms - index child

## Traumatic stress symptoms / responses to trauma

### Concept

Traumatic stress symptoms / responses to trauma

## Re-experiencing

### Items


- [Intrusive thoughts](#)
- [Distressing dreams](#)
- [Feel event is happening again](#)
- [Psychological distress at reminders](#)
- [Physical distress at reminders](#)

## Intrusive thoughts

## Distressing dreams

## Feel event is happening again


## Psychological distress at reminders


 Physical distress at reminders

 Avoidance

Items

- Avoid thoughts feelings abt event
- Avoid activities places people that are reminders

 Avoid thoughts feelings abt event

 Avoid activities places people that are reminders

 Dissociation (peri- or post-trauma)

Items

- Numbing/ detachment / absence of emotional responsiveness
- Reduction in awareness of surroundings (in a daze)
- Derealization
- Dissociative amnesia

 Numbing/ detachment / absence of emotional responsiveness

 Reduction in awareness of surroundings (in a daze)

 Derealization

 Dissociative amnesia

 Cognitive or mood changes

Items

- Inability to recall important parts of event

- Diminished interest or participation in things usually enjoy
- Detachment estrangement from others
- Restricted range of affect
- Foreshortened future
- Persistent exaggerated negative beliefs or expectations
- Persistent distorted cognitions / blame self or others
- Persistent negative emotional state

 Inability to recall important parts of event

 Diminished interest or participation in things usually enjoy

 Detachment estrangement from others

 Restricted range of affect

 Foreshortened future

 Persistent exaggerated negative beliefs or expectations

 Persistent distorted cognitions / blame self or others


 Persistent negative emotional state

 Hyperarousal

#### Items

- Irritability / angry outbursts
- Difficulty concentrating
- Hypervigilance
- Exaggerated startle
- Reckless or self-destructive behavior

- **Difficulty falling or staying asleep**


 Irritability / angry outbursts

 Difficulty concentrating

 Hypervigilance

 Exaggerated startle

 Reckless or self-destructive behavior

 Difficulty falling or staying asleep

## Depression symptoms

Concept

Depression symptoms

This group has no items.

## Anxiety symptoms

Concept

Anxiety symptoms

This group has no items.